sames kremlin

Liquid paint
application solutions



Fstart S

Suction Airspray Spray Gun

Job is done!

Product highlights

- Good value for money
- Comfortable spray gun
- Easy to repair



BOND • PROTECT • BEAUTIFY

www.sames.com

Fstart S

Suction Airspray Spray Gun

The Fstart S suction-fed conventional spray gun is the right solution for hard to atomize coatings at an entry level price.



Adapted industrial markets

Wood
Transportation
Industrial
Railways

Technical data table

Designation	Value	Unit
Maximum Air Pressure	6 (87)	bar (psi)
Recommended CONV Air Pressure	2,5 (36)	bar (psi)
Maximum Material Pressure	6 (87)	bar (psi)
Air Consumption CONV (at 2.5 - 3.5 bar / at 36 - 51 psi)	21,3 (12.5)	m3/h (cfm)
Weight	402 (14.2)	g (oz)
Trigger Pull	16 (3.60)	N (lbs)
Certification	ATEX II2G Ex h IIB T6 Gb X	
Capacity	1 (0.26)	l (gal)
Air Inlet Fitting	M 1/4" NPS	
Material Inlet Port	M 3/8" NPS	
Wetted Parts	Aluminum, Stainless steel 303	
Maximum Fluid Temperature	50 (122)	°C (°F)

Marking

Product	Type
Fstart S	CE 0080 Ex ATEX II2G Ex h IIB T6 Gb X

Technologies

Airspray Conventional

Description

Sames' Fstart S spray guns make it easy and cost-effective to apply water-based or solvent-based coatings.

Conventional sprayers are available to meet the needs of small to large finishing shops. The Fstart S spray guns can be used by both beginners and experienced professionals giving a desired high quality finish.

The Fstart spray guns are the result of 95 years of experience in Airspray technology. In addition to being an economical solution, this new Airspray gun has a comfortable and ergonomic design and is one of the lightest guns in its class.

Performances

1 - Fine adjustments to achieve the perfect spray pattern for all applications
• Sames finishing quality at entry price level
• Sames's experience in Airspray since 1924

Productivity

2 - "Fine atomization" aircap adjustable to 360°
3 - Soft springs for a responsive and reduced trigger pull
3 - New trigger design for more comfort
4 - One of the lightest manual spray guns in its category ensuring a reduction of carpal tunnel injuries

Sustainability

4 - Aluminum body for easy cleaning
5 - Reusable aluminum cup with a simplified locking system
• A small investment for long term use: Only one maintenance kit for reduced inventory



Equipment

Designation	Part number
Gun FStart S CONV-15-Mva	135756515
Gun FStart S CONV-18-Mva	135756518

Additional information

- User manual
- Spare parts
- Accessories
- Documents
- Videos

Sames
13 chemin de Malacher
CS 70086 - 38243 MEYLAN Cedex - FRANCE
Phone: +33 (0)4 76 41 60 60
www.sames.com

Sames reserves the right to modify its equipment or specifications without further notice.
Document, products and pictures shown are not contractual.

06/2026